



Moonlight Primer Gel
II-36.385.02A

| Phase | Material Name | US INCI | Supplier | % Material |
|--------------|------------------------------|---|-----------------|-------------------|
| A | Deionized Water | Water | N.A. | 87.91 |
| A | Euxyl K 900 | Benzyl Alcohol Ethylhexylglycerin Tocopherol | Ashland | 0.80 |
| A | Sepimax ZEN | Polyacrylate Crosspolymer-6 | SEPPIC | 1.50 |
| B | MultiMoist CLR™ | Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water | CLR | 3.00 |
| B | ProRenew Complex CLR™ | Lactococcus Ferment Lysate | CLR | 3.00 |
| C | NaOH (32%) | Water Sodium Hydroxide | N.A. | 0.15 |
| D | AnnonaSense CLR™ AP | Annona Cherimola Fruit Extract | CLR | 3.00 |
| D | SynCrystal Silk Silver | Synthetic Fluorphlogopite Titanium Dioxide Tin Oxide | Eckart | 0.40 |
| D | SynCrystal Spring Gold | Synthetic Fluorphlogopite Titanium Dioxide Iron Oxides Tin Oxide | Eckart | 0.10 |
| E | Perfume Tilia WS | Fragrance | Voegele | 0.14 |
| | | | | 100.00 |

Operating Instructions

Mix A until completely soaked. Add B in this order, stir until homogeneous and adjust pH value to 5.5-6 with C. Add D and stir. Add E as desired.

Directions for use:

Take a pea-sized amount and gently apply to the skin. Wait 5-10 minutes till its dry and enjoy your dewy glowing silky skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com