



Cooling After Sun Mist

II-5.110.02A_1

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	88.08
A	Glycerol 85%, vegetable Ph. Eur.	Glycerin	Gustav Heess	2.00
A	Verdessence Xanthan	Xanthan Gum	BASF	0.15
A	Geogard 221	Dehydroacetic Acid Benzyl Alcohol	Lonza	0.50
A	AnnonaSense CLR™	Annona Cherimola Fruit Extract	CLR	3.00
B	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
B	Ethanol (96%)	Alcohol	Berkel AHK	3.00
B	Perfume Black Bamboo WS	Fragrance	Voegele	0.15
C	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.12
				100.00

Operating Instructions

Mix A and stir until uniform. Add B, stir and adjust pH value to 5.5-6 with C.

Directions for use:

Spray all over the body after exposure to the sun.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com