



Night Eye Ampoule Treatment
II-5.414.02

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	88.04
A	A-Leen 5	Pentylene Glycol	Minasolve	3.00
A	Glycerol 85%, vegetable Ph. Eur.	Glycerin	Gustav Heess	2.00
A	Verdessence Xanthan	Xanthan Gum	BASF	0.35
B	Dermosoft 700B	Levulinic Acid Sodium Levulinate Glycerin Water	Evonik	0.50
B	Dissolvine GL-38	Tetrasodium Glutamate Diacetate Water Sodium Hydroxide	Nouryon	0.06
B	Phytosan™ NewAge	Water Glycerin Glycine Soja (Soybean) Seed Extract	CLR	2.00
B	G+C Complex CLR™	Bifida Ferment Lysate	CLR	1.00
B	JuvenEye CLR™	Bellis Perennis (Daisy) Flower Extract Hieracium Pilosella (Hawkweed) Extract	CLR	3.00
C	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.05
				100.000000

Operating Instructions

Mix A and stir until completely dispersed. Add B to A in the given order and stir until uniform slowly. Adjust pH value to 5-5.5 with C.

Directions for use:

Apply in the evening after cleansing around the eye area. Then gently pat in with your fingertips.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com