



Moisture Hair Spray (leave-on)

II-6.244.01

Phase	Material Name	US INCI	Supplier	% Material
A	Deionized Water	Water	N.A.	97.49
A	Tylose H 4070 NG4	Hydroxyethylcellulose	Shin-Etsu	0.30
B	Hygroplex™ HHG	Hexylene Glycol Fructose Glucose Sucrose Urea Dextrin Alanine Glutamic Acid Aspartic Acid Hexyl Nicotinate	CLR	1.00
B	Microcare SB	Water Sodium Benzoate Potassium Sorbate	THOR	1.00
C	Citric Acid (10%)	Water Citric Acid	N.A.	0.21
				100.00

Operating Instructions

Mix A until completely soaked. Add B and stir. Adjust pH value to 4.5-5 with C.

Directions for use:

After shampooing, spray over towel dried hair along lengths and tips. Massage and comb through.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com