



Biotic Female Wash Gel
V-18.385.02

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	42.27
A	MultiMoist CLR™	Fructooligosaccharides Beta Vulgaris (Beet) Root Extract Water	CLR	3.00
A	SyriCalm™ CLR (PC)	Water Phragmites Communis Extract Poria Cocos Extract	CLR	3.00
A	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
A	Microcare SB	Water Sodium Benzoate Potassium Sorbate	THOR	0.80
B	Plantapon SF	Sodium Cocoamphoacetate Glycerin Lauryl Glucoside Sodium Cocoyl Glutamate Sodium Lauryl Glucose Carboxylate	BASF	46.00
C	Lactic Acid (80%)	Lactic Acid Water	N.A.	1.93
				100.00

Operating Instructions

Mix A and stir until uniform. Add B and stir. Adjust pH value to 4.9 with C.

Directions for use:

Apply a small amount to the genital area and rinse it off thoroughly.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com