



Let's Play Biome Balance Peel-Off Mask
VI-3.135.01A_1

| Phase | Material Name | US INCI | Supplier | % Material |
|--------------|--|--|-----------------|-------------------|
| A | Deionized Water | Water | N.A. | 57.44 |
| A | Gohsenol EG-40C | Polyvinyl Alcohol | Nippon Gohsei | 12.00 |
| B | Aristoflex Silk | Sodium Polyacryloyldimethyl Taurate | Clariant | 0.20 |
| C | Ethanol (99.2%) | Alcohol | Merck | 15.00 |
| C | Propylene Glycol | Propylene Glycol | BASF | 2.00 |
| C | Glycerin 86% | Glycerin Water | Gustav Heess | 3.00 |
| C | CutiBiome CLR™ | Octyldodecanol Leptospermum Scoparium Branch/Leaf Oil Piper Nigrum Seed Extract Magnolia Officinalis Bark Extract | CLR | 3.00 |
| D | ProRenew Complex CLR™ | Lactococcus Ferment Lysate | CLR | 3.00 |
| D | NaOH (10%) | Water Sodium Hydroxide | N.A. | 0.21 |
| D | AnnonaSense CLR™ | Annona Cherimola Fruit Extract | CLR | 3.00 |
| D | Nipaguard SCE | Sorbitan Caprylate Propanediol Benzoic Acid | Clariant | 1.00 |
| E | Aromatic White Peach Extract Blend N33008 | Available on request | Carrubba | 0.15 |
| | | | | 100.00 |

Operating Instructions

Add Polyvinyl Alcohol slowly to the water while heating to 70°C and stir. Add B and stir until homogeneous. Add premixed phase C and D one after another with stirring. Adjust pH value to 5.5 if necessary. Add E as desired.

Directions for use:

Apply a thin layer to dry skin and leave for about 10-15 minutes (until the mask dries and lifts at the edges). Peel-off mask from one side.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com