



Biotic Smart Aging Cream OW
I-43.421.01_1

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Montanov 202	Arachidyl Alcohol Behenyl Alcohol Arachidyl Glucoside	SEPPIC	5.00
A	Tego Alkanol 1618 MB	Cetearyl Alcohol	Evonik	0.50
A	Lanol 99	Isononyl Isononanoate	SEPPIC	8.00
A	Myritol 318 MB	Caprylic/Capric Triglyceride	BASF	8.00
B	Deionized Water	Water	N.A.	70.15
B	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Ashland	0.80
B	Butylene Glycol	Butylene Glycol	Merck	4.00
B	Carbopol Ultrez 10	Carbomer	Lubrizol	0.20
C	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
D	NaOH (10%)	Water Sodium Hydroxide	N.A.	0.35
				100.00

Operating Instructions

Mix A and B separately. Heat up to 85°C. Add B to A and homogenize for 2 minutes. Cool down under stirring slowly and add C below 30°C. Adjust pH value 5-5.5 with D.

Directions for use:

Take a pea-sized drop of the cream and gently massage into the skin.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com