



Skin Biotic Primer
II-36.148.03A_1

<i>Phase</i>	<i>Material Name</i>	<i>US INCI</i>	<i>Supplier</i>	<i>% Material</i>
A	Deionized Water	Water	N.A.	91.33
A	Euxyl PE9010	Phenoxyethanol Ethylhexylglycerin	Ashland	0.80
A	Aristoflex Velvet	Polyacrylate Crosspolymer-11	Clariant	1.50
B	DayMoist CLR™	Water Hydrolyzed Corn Starch Beta Vulgaris (Beet) Root Extract	CLR	3.00
B	ProRenew Complex CLR™	Lactococcus Ferment Lysate	CLR	3.00
C	NaOH (32%)	Water Sodium Hydroxide	N.A.	0.22
D	Perfume Tilia WS	Fragrance	VOEGELE	0.10
D	SynCrystal Ivory	Synthetic Fluorphlogopite Titanium Dioxide Iron Oxides Tin Oxide	Eckart	0.05
				100.00

Operating Instructions

Mix A until completely soaked. Add B in the given order, stir until homogeneous. Adjust pH value to 5-5.5 with C. Add D as desired.

Directions for use:

Apply on the face and gently massage in until absorbed.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com