



First Aid Combing Hair Spray
II-6.148.01

Phase	Material Name	US INCI	Supplier	% Material
A	Tylose H 4070 NG4	Hydroxyethylcellulose	Shin-Etsu	0.18
A	Deionized Water	Water	N.A.	93.92
A	Zemea	Propanediol	Primient Covation LLC	4.00
A	Microcare SB	Water Sodium Benzoate Potassium Sorbate	THOR	0.80
B	DayMoist CLR™	Water Hydrolyzed Corn Starch Beta Vulgaris (Beet) Root Extract	CLR	1.00
B	Dehyquart A-CA	Cetrimonium Chloride	BASF	0.10
				100.00

Operating Instructions

Mix A and stir until completely dispersed. Add B in this order and stir until uniform.

Directions for use:

Spray onto clean, damp hair. After letting it sit for a few minutes, carefully comb tangles one small section at a time. Reapply as needed. There's no need to wash after treatment, as this is a leave-in spray.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application.

They are, to the best of our belief, correct, but are offered without obligation.

Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

This formula has been manufactured and stability-tested using a special preservative, but has not been subjected to microbiological challenge tests.

CLR - Chemisches Laboratorium Dr. Kurt Richter GmbH - www.clr-berlin.com